

Colts Neck Fire Prevention Bureau

124 Cedar Drive, Colts Neck, NJ 07722

Robert Zander - Fire Marshall

Phone: (732) 409-7134

Fax: (732) 462-8460

e-mail: fireprevention@colts-neck.nj.us

FIREWORKS PERMIT INFORMATION

All requirements must be completed and checked off

TOWNSHIP/SPONSOR REQUIREMENTS:

- 1. Obtain permit application from the Colts Neck Fire Prevention Bureau; return with payment and all completed information a minimum of two weeks prior to use date.
- 2. Provide minimum 1,200-foot radius plot/site plan for site display showing distances from public and all structures, whether on site or not, to fireworks discharge area.
- 3. Provide Township resolution approving discharge of fireworks.
- 4. Provide a letter of intent from sponsor, giving date, time, location and approval to hold display on the sponsor's property.
- 5. Provide documentation that the FAA has been notified of the upcoming event.
- 6. Provide certificate of insurance (general liability) with amount not less than \$1,000,000.00.
- 7. It is understood that the display shall comply with all requirements as set forth in N.J.A.C. 5:18-3.27 and NFPA 1123, 1124.
- 8. Contact any nearby horse farms or stables to make them aware of the day and time of the show. (i.e. Quiet Winter farm, etc.)

Township/Sponsor Signature: _____ Date: _____

FIREWORKS COMPANY REQUIREMENTS:

- 1. Furnish a list of the number of shells and sizes (U.S. Diameter) being used before arriving on site.
- 2. Furnish documentation that the shells are D.O.T. approved devices and to include EX numbers.
- 3. Provide list of employees that will be on site who will be assisting in the shoot.
- 4. Furnish Department of Labor "Fitness Certificate" for driver of explosives.
- 5. Provide certificate of insurance (general and auto liability) with amount not less than \$1,000,000.00.
- 6. Agree to provide post display report to be delivered within 48 hours. (Search of fall-out zone by fireworks persons for unexploded shells)
- 7. The use of a larger than 3" flash/salute or as a report is prohibited.
- 8. No display shall be permitted if winds are above 25 MPH.
- 9. No PVC mortar tubes shall be permitted, however HDPE (high density polyethel) mortars are permitted. Every mortar must have a plug.
- 10. Provide date and time when the fireworks vehicle will first come into township. Provide route that will be taken.
- 11. It is understood that fireworks displays shall comply with all requirements as set forth in N.J.A.C. 5:18-3.27 and NFPA 1123, 1124.
- 12. Comply with all regulations and instructions set forth by the Colts Neck Fire Marshall.

Fireworks Company Representative: _____ Date: _____

***** Do Not Write Below This Line *****

Date Received: _____ By: _____ Log #: _____